

Carolina Skiff J-Series Accessories

Front Deck



SIZE	A	B	C
J	52	34.5	3.5

Large Front Deck



SIZE	A	B	C
J	52	44.5	15

Rear Deck



SIZE	A	B	C
J	55	34	3.5

Bench Seat



SIZE	A	B	C
J	55	14	3.5

Rear Deck With Livewells

Lids are included. J-Models have 16gal. livewells.




SIZE	A	B	C	D	E	F	G
J	21	15	29	10	36	55	4

Universal Console



SIZE	A	B	C	D	E	F	G	H	I	J
J	23	16	24	5	7	16	6	19	15	7


Over Transom Livewell



SIZE	A	B	C	D	E
J	15	10	15	14	16


Island Seat

This accessory will fit all models. Cushion is optional.




SIZE	A	B	C	D	E
6"	12	12	6	11	11
8"	12	12	8	10	10
12"	12	12	12	10	10

Storage Seat



SIZE	A	B	C	D
J	15.5	12.5	39	34

Stick Steering Bracket



SIZE	A	B	C	D	E
J	13	5.5	15	2	13


This accessory will fit all Carolina Skiff models.

The cavitation plate on all outboards must be 3/4 to 1 inch below the bottom of the Carolina Skiff, Standard Model, J-Model and Semi-V-Series Model hull. We recommend the use of tilt and trim on all outboards. Flotation values, dimensions and weights are approximate.

Price, materials and specifications are subject to change without notice. Any product may be withdrawn from sale at any time without notice.

Carolina Skiff Standard and Semi-V Accessories

Center Consoles



SIZE	A	B	C	D	E	F	G	H	I	J	K
SML	30	21	14	16	6	10	20	*	*	*	*
MED	34	22	30	16	6	10	24	16	15	18	*
LG	38	29	35	22	7	13	26	16	17	22	*
XLG	43	38	47	33	10	13	29	17	22	24	4


The openings on our consoles are standard. Most of our consoles are available in a sleek white finish or a textured finish that matches the inside of the hull.

Over Transom Livewell



SIZE	A	B	C	D	E
UNV	15	10	15	14	16

Island Seat




SIZE	A	B	C	D	E
SM	15	15	15	12	12
MED	25	18	15	17	23
LG	36	18	16	17	33

Side Seat




SIZE	A	B	C
SML	16	17	14
LG	35	17	14

Charter Seat



SIZE	A	B	C
SML	60	12	15
MED	96	12	15
LG	145	12	15


Storage Seat



SIZE	A	B	C
65"	66	16	16
80"	82	16	16

For 55" seat, see UN. Storage seat under J. Accessories.

Bench Seat




SIZE	A	B
55"	57	14
65"	67	14
80"	82	14

Universal Livewell




SIZE	A	B	C
18gal.	13	26.5	10

Down Rigger Pad



SIZE	A	B	C
	21	17	17

Deck Track



SIZE	A	B	C	D	E
8ft.	96	7	3.5	2	2

This is used to conceal cables, wiring, etc. It will fit all Carolina Skiff hulls.


Front Deck

Cutouts are standard unless ordered otherwise.



SIZE	A	B	C
(S)55"	51	34	13
55"	54	32	15
65"	63	33	17
80"	76	33	17

Rear Deck



SIZE	A	B	C
55"	57	40	13
65"	67	40	14
80"	82	48	14

Short Rear Deck



SIZE	A	B	C	D	E
55"	63	24.5	2	12	8
65"	73	34.5	2	15	9
80"	89	40.5	2	17	10

Rear Deck With Livewells



SIZE	A	B	C	D	E	F	G
35"	16	18	30	10	36	57	3
65"	25	18	30	10	36	67	5
80"	16	28	28	18	40	83	7

Lids are included. 14-18 have 18gal. livewells, 21-24 have 32gal. livewells.

Standard transom height is 20" on all skiff models. For proper boat performance, the engine cavitation plate must be 3/4" to 1" below the bottom of the boat hull, and all weight must be distributed evenly. Custom transoms and dual motor transoms are optional. Materials and specifications are subject to change without notice.

Other Accessories

J-Model Windshield

Beautiful smoked ¼" Lucite with pre-drilled holes and hardware.

J-Model Grab Rail

This grab rail protects the windshield and provides maximum hand holds along the console.

Constructed of heavy gauge brushed aluminum.



Standard Windshield

Beautiful smoked windshield

Standard Console

Grab Rail This grab rail protects the windshield and provides maximum hand holds along the console and windshield.


Constructed from welded, heavy gauge brushed aluminum Custom fitted for each console. Measures 29" high and extends 3" from the console on both sides.



Transom Grab Rail

Provides additional strength to the transom and maximum hand holds at the stern. Constructed of welded, heavy gauge brushed aluminum.


Includes all hardware. Two sizes: J-Model and Standard Model. Rails Measure 15" at the transom, 44" on the side and 6" high. Specify Left, Right and Model type.



Side Grab Rail

Maximum hand holds for safety and visual appearance. Constructed of welded, heavy gauge brushed aluminum.


Includes all hardware. One size fits all boats. Rail measures 24" long by 6" high.



Split Bow Rail

Provides added safety and visual appearance. One size fits all models. The distance between the rails at the bow increases by hull size.


Trolling motors can be mounted in-between the rails. Constructed of heavy gauge brushed aluminum. Includes all hardware. Rail measures 60" long by 16" wide by 6" high.



Polling Platform/One Size

Available for the Standard Model, Semi V-Series Model and J-Series Model. Made of high grade brush aluminum, the polling platform allow easy maneuvering in shallow waters.

A	B	C	D	E
43.5"	36"	27.5"	41"	13"



T-Tops / Large & Deluxe

This aluminum T-top stands 7 feet high. The Top size is 4' x 6'. The T-top is made of high grade brush aluminum. The T-top is equipped with four rod holders. The top has a Sunbrella cover.

Aluminum Fuel Tanks

Available in 18, 27, 42 and 78 gallon tanks. These fuel tanks are designed to fit under the Carolina Skiff center console.

Fuel Tank Dimensions:

Size	L	W	H
18 Gal.	22"	16"	12"
27 Gal.	30"	18"	12"
42 Gal.	31"	25"	13"
78 Gal.	34"	34"	16"

Flip/Flop Cooler Seat

Available in two colors, Bone and White.


The seat adds to the appearance of the boat interior. Used as extra storage or cooler, this seat is made for comfort. Made from high grade material, the Flip/Flop cooler seat will hold up under the elements.

70 qt. Cooler Seat.



Bimini Top

Available for most models. Each top is made with heavy duty material to withstand all weather conditions. Tops provide shading and added visual appearance. Easy to put up and let down.



Carolina Skiff • Factory Pre-Rig

Carolina Skiff offers pre-rigged boats from the factory. There is only a select number of models that Carolina Skiff will pre-rig. Each model comes with, a basic fiberglass layout and non-fiberglass layout. Including the steering and engine controls. Each factory rig has optional fiberglass parts available. Just ask your local Carolina Skiff dealer.

YES = STANDARD ACCESSORY
OP = OPTIONAL ACCESSORY
N/A = NOT AVAILABLE

FACTORY PRE-RIG Accessory Chart

Fiberglass & Non-Fiberglass Parts	Standard 2480 / 2180	Standard 1965 / 1765	Standard 1655	Semi'V 2380 / 1980	Semi'V 1965 / 1765	Semi'V 1655
Front Deck	YES	YES	YES	YES	YES	YES
Large Slick Console	YES	YES	OP	YES	YES	OP
Med. Slick Console	OP	OP	YES	OP	OP	YES
Small Console	OP	OP	OP	OP	OP	OP
Deluxe Console	OP	N/A	N/A	OP	N/A	N/A
Short Rear Deck	YES	YES	YES	YES	YES	YES
Short Rear Deck w/live well	OP	OP	OP	OP	OP	OP
Rear Deck/ Livewells	OP	OP	OP	OP	OP	OP
Deck Track	YES	YES	YES	YES	YES	YES
Storage Seat	OP	OP	OP	OP	OP	OP
Windshield	YES	YES	YES	YES	YES	YES
Console Grab Rail	YES	YES	YES	YES	YES	YES
Steering System	YES	YES	YES	YES	YES	YES
Panel/Instrumentation	YES	YES	YES	YES	YES	YES
Lights	YES	YES	YES	YES	YES	YES
Split Bow Rails	YES	YES	YES	YES	YES	YES
Transom Rails	YES	YES	YES	YES	YES	YES
70 qt. cooler seat	YES	YES	YES	YES	YES	YES
Bilge Pump	YES	YES	YES	YES	YES	YES
Bimini Top	OP	OP	OP	OP	OP	OP
18 gal. Fuel Tank	YES	YES	OP	YES	YES	OP
27 gal. Fuel Tank	OP	OP	N/A	OP	OP	N/A

Carolina Skiff

J-16 Bass Boat

• Long Front Deck • 2 Universal Console • Rear Deck/Livewells • 2- 6" Island Seats • Deck Track
 • 2 Windshields • 2 Console Grab Rails • Steering System • Engine Control • Panel/Instrumentation
 • Lights • 2 Bass Seats • OP=2 Extra Bass Seats • 4 Base Plates • Bilge pump • Plumbing for Livewell